

**Aquablanc O2 Gentle :Sachet A**

**1. Identification of the substance/preparation and of the company/undertaking**

**1.1 Product Identifier**

Trade Name: Aquablanc O2 Gentle System :Sachet A - 220g

**1.2 Relevant Identified uses of the substance or mixture and uses advised against**

Uses: Treatment of Swimming Pool Water

Restrictions: At this time we do not have information on use restrictions

**1.3 Details of the supplier of the safety data sheet**

Company: Complete Pool Controls Ltd  
Unit 2, The Park  
Stoke Orchard  
Bishops Cleeve  
Gloucestershire  
GL52 7RS

Telephone: +44 (0) 8712 229081

Fax: +44 (0) 8712 229083

E-mail: [sales@cpc-chemicals.co.uk](mailto:sales@cpc-chemicals.co.uk)

**1.4 Emergency Telephone**

Tel: +44 (0) 8712 229081 (office hours) +44 (0) 371 2229084 ( outside of office hours)

**2. Hazard Identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**

Hazard Class	Hazard Category	Target Organs	Hazard Statements
Skin Corr. 1B			H314
Acute Tox. 4 *			H302

For the full text of the H statements mentioned in this section see Section 16.

**Most important adverse effects**

Human Health: See section 11 for toxicological information  
Physical & Chemical Hazards: See section 9 for physicochemical information  
Potential environmental effects: See section 12 for environmental information

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

Hazard symbols:  

Signal word: Danger

Hazard statements: H314: Causes severe skin burns and eye damage  
H302: Harmful if swallowed.

Precautionary statements: P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P260 Avoid breathing gas/mist/vapours/spray  
P273 Avoid release to the environment  
P280 Wear protective gloves/protective clothing/eye protection/face protection  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local regulations

P301+330+P310 IF SWALLOWED: rinse mouth. Immediately call a poison centre  
P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water  
IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing  
P305+351+338:

**2. Hazard Identification**

**Hazardous components which must be listed on the label**  
pentapotassium bis(peroxymonosulphate)bis(sulphate)

**2.3 Other Hazards**

Results of PBT and vPvB assessment not applicable

**3. Composition/information on ingredients****3.1 Mixture**

Chemical nature: Mixture of substances listed below with non - hazardous additions.

pentapotassium bis(peroxymonosulphate)bis(sulphate)			
CAS No	ENICS No	%	CLP Classification
70693-62-8	274-778-7	75 - 100%	H302; H314; H318; H412
Aluminiumsulfat Octadecahydrat			
16828-12-9	233-135-0	2.5 - 10%	H315;H319;H335;H412

**4. First Aid measures****4.1 Description of first aid measures**

General Advice: Take off all contaminated clothing immediately

If Inhaled: In case of accident by inhalation; remove casualty to fresh air and keep at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor immediately.

In case of skin contact: Wash off immediately with plenty of soap & water. Seek medical advice

In case of eye contact: Rinse immediately with plenty of water, also under eyelids for at least 15 minutes. Remove contact lenses. Call a doctor immediately

If swallowed: Clean mouth with water and drink plenty of water. Never give anything by mouth to an unconscious person. Call for a doctor immediately

Further Information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms & effects: No further information

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment No information available

**5. Fire fighting measures****5.1 Extinguishing media:**

Suitable media: Water

Unsuitable media: Water with full jet

**5.2 Special hazards arising from the substance or mixture**

Specific Hazards : Fire may cause evolution of Sulphur dioxide (SO<sub>2</sub>)

**5.3 Advice for fire-fighters**

Protective equipment: Fire-fighters should wear full protective clothing and self-contained breathing apparatus (SCBA).

Further Information: Cool endangered receptacles with water spray.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

**6. Accidental release Measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal Precautions: Use personal protective equipment. Wear respiratory protection. Keep unprotected persons away. Avoid formation of dust

**6.2 Environmental precautions**

Environmental precautions: Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.

**6.3 Methods and materials for containment and cleaning up**

Cleaning up: Dilute with plenty of water, Use neutralizing agent. Ensure adequate ventilation.

Further Information: Treat recovered material as described in section 13.

**6.4 Reference to other sections**

See Section 1 for emergency contact information

See Section 8 for information on Personal protective equipment

See section 13 for waste treatment information

**7. Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling: Keep receptacle tightly closed. Do not refill residue into storage receptacles. Thorough dedusting.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of the work day. Take off all contaminated clothing immediately. Provide adequate ventilation. Avoid contact with the skin and eyes.

**7.2 Conditions for safe storage, including any incompatibilities.**

Requirements for storage: Store only in the original receptacle.

Fire and explosion: No further information available

Further information: Protect from humidity and water. Protect from contamination.  
Keep container tightly sealed.

Common storage: Store away from flammable substances

Storage Temperature: No further information available

Storage class: 8 B

**7.3 Specific end uses**

Specific use(s): No information available

**8. Exposure control/personal protection**

**8.1 Control parameters** No value assigned for this product

**8.2 Exposure controls**

**Engineering measures** Refer to protective measures listed in sections 7 and 8

**Personal protective equipment**

Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of the work day. Take off all contaminated clothing immediately. Provide adequate ventilation. Avoid contact with the skin and eyes.

Respiratory protection: Use respirator with appropriate filter if vapours or aerosol are released  
Recommended Filter type: FP2

Hand protection: Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.

Material Butyl rubber, BR

Unsuitable: Leather

## 8. Exposure control/personal protection

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection                      Wear safety goggles approved to standard EN 166. Ensure eyewash station available

Skin and body protection        Impervious protective clothing

#### Environmental exposure controls

General advice:                      Do not flush into surface water or sanitary sewer systems  
    Avoid subsoil penetration  
    If the product contaminates rivers and lakes or drains inform respective authorities.

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form:                                      Granular solid  
Colour:                                    Whitish  
Odour:                                     Odourless  
Odour Threshold:                      Not determined

pH @ 20°C:                            Not applicable  
Melting point:                         Undetermined  
Boiling point:                         Undetermined  
Flammability (solid, gas)            Not determined  
Self igniting:                         Product is not self igniting.  
Upper explosion limit:                Not determined  
Lower explosion limit:                Not determined  
Vapour pressure:                      Not applicable  
Relative density:                      Not determined  
Vapour density:                        not applicable  
Water solubility:                      Soluble  
Ignition temperature:                not applicable

Viscosity:                              Kinematic: Not applicable  
    Dynamic    Not applicable

Explosive properties:                Product does not present an explosion hazard

Solvent content:

Organic solvents:	0.00%
VOC (EC)	0.00%

**9.2 Other Information**              No further relevant information available

## 10. Stability and reactivity

### 10.1 Reactivity

Reactivity                              No information available

### 10.2 Chemical stability

Chemical stability                      Decomposes before melting

### 10.3 Possibility of hazardous reactions

Hazardous reactions:                Reacts with alkali , metals, acids and humid air.

### 10.4 Conditions to avoid

Conditions to avoid                    No further relevant information available.

### 10.5 Incompatible materials

Materials to avoid                      No further relevant information available.

### 10.6 Hazardous decomposition products

Haz. Decomp. products:              Sulphur oxides (SOx)

**11. Toxicological Information****11.1 Information on toxicological effects****LD/LC50 values relevant for classification:****Acute Toxicity****70693-62-8 pentapotassium bis(peroxymonosulphate)bis(sulphate)**

Oral	LD50	1000-2000 mg/kg	rat
Dermal	LD50	> 2000 mg/kg	rabbit
Inhalative	LC50	> 5 mg/l	rat

**Primary irritant effect:****on the skin:** Caustic effect on skin and mucous membranes**on the eye:** Strong caustic effect**Sensitization:** No sensitizing effects known.**Chronic toxicity** No information available**Carcinogenicity** No information available**Mutagenicity** No information available**Preparations as issued in the latest version:**

Harmful

Corrosive

Other relevant toxicity: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of the oesophagus and stomach.

**12. Ecological Information****12.1 Toxicity****Aquatic Toxicity:** **70693-62-8 pentapotassium bis(peroxymonosulphate)bis(sulphate)**

EC50 &gt;1mg/l (Selenastrum capricornutum (Grünalge))

LC50 53mg/l (Danio rerio (Zebraabärbling))

Remark Harmful to fish

**12.2 Persistence and degradability**

Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential**

Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil**

Mobility in soil No further relevant information available.

**12.5 Results of PBT and PvB**

PBT and PvB not applicable

**Notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralized.  
Harmful to aquatic organisms

**12.6 Other adverse effects** No further relevant information available.**13. Disposal Considerations****13.1 Waste treatment methods**

- Disposal should be in accordance with local, state or national legislation
- Do not reuse empty containers without commercial cleaning or reconditioning
- Do not discharge into drains or the environment, dispose to an authorised waste collection point

**13. Disposal Considerations****13.1 Waste treatment methods****Classification**

Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority

**14. Transport Information**

<b>14.1 UN Number</b>	UN3260
<b>14.2 UN proper shipping name</b>	3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (pentapotassium bis(peroxymonosulphate)bis(sulphate))
<b>14.3 Transport hazard class(es)</b>	
Class	8 (Corrosive Substances)
Hazard label	80
Excepted quantities	E2
Transport Category	2
Tunnel	E
LQ	1kg
EMS No	F-A S-B
<b>14.4 Packaging Group</b>	II
<b>14.5 Environmental hazards</b>	
Environmentally Hazardous	Yes
Marine Pollutant	No
<b>14.6 Special precautions for user</b>	No further information available
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	No further information available

**15. Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture.**

Employment restrictions concerning pregnant and lactating women must be observed.  
Employment restrictions concerning juveniles must be observed.

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out.

**16. Other information**

Full text of H-statements referred to under sections 2 and 3  
H314: Causes severe skin burns and eye damage  
H302: Harmful if swallowed.

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information. Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

█ Indicates updated section.