Blue Horizons Granular Floc

Key Features/Characteristics

Granular

Settles debris to pool floor

Problem solver

Blue Horizons Granular Floc sinks unwanted debris to the bottom of the pool creating clear sparkling water.

Application Instructions

- 1. Maintain pH levels within the ideal range 7.2 7.6. If the level is not in this range, adjust.
- 2. Maintain total alkalinity within the ideal range of 80 150 mg/l (ppm). If the level is not in this range, adjust.
- 3. Maintain chlorine levels within the ideal range 1 3mg/l (ppm). If the level is not in this range, adjust.
- 4. Pre-dissolve this product in a clean plastic container at a maximum rate of 100g of product per 2.2 gallon (10 litres) of clean warm water. Stir well to ensure product is fully dissolved. Add the resulting solution evenly over the whole water surface with the filtration in recirculation mode (not filtration).
- 5. Run filtration in recirculation mode for 30 minutes then turn pump off.
- 6. Keep filtration off and leave the pool undisturbed for 12 24 hours to allow debris to settle to the bottom of the pool.
- 7. Carefully vacuum settled debris to waste.

Dose rates		
Litres	Gallons	Dose rate
4,545	1,000	100g
9,090	2,000	200g
22,500	5,000	500g
45,450	10,000	1.00kg
68,175	15,000	1.500kg

